

PT200 Series RFID Handheld Reader



PT200 is a handheld reader that developed by Fofia Tech in 2018, catering to the application market of pet's ID and animal identification.

This new generation handheld animal ID reader is highly cost-effective and easy to use.

PT200 supports all the ISO11784/5 FDX-B and ID64 standards of tag reading.

Company Profile

Wuxi Fofia Technology Co., Ltd was founded in 2002. It's a provincial high-tech enterprise in Jiangsu. We focus on the research, development, production and sales of the products in animal identification technology field.

Company Advantages

Wuxi Fofia Technology Co., Ltd is a leading supplier of animal identification products in Asian and Pacific area. We provide professional pet ID microchips, animal electronic ear tags, readers, handheld equipment and system integration. All our animal identification products are developed and produced based on 134.2 KHz ISO11784/85 FDX-B standards. We have been approved by the International Committee for Animal Recording (ICAR). We devote ourselves to providing RFID solutions to animal tracking, animal husbandry informatization and food safety & source-tracing management.

Strategic Cooperation

Wuxi Fofia Technology Co., Ltd will develop into a company that can provide complete solutions including IC card, equipment, application software and system integration. We're committed to the development and promotion of animal identification technology. We'll win customers' trust with our high-quality products and first-class service. We warmly welcome the direct users of food safety source-tracing project implementation and system integrators to cooperate with us. We'll try our best to provide the best solution of food safety & source-tracing for you.

Main Parameter		Working Manner		Product Standard	
CPU	ARM(STM32)	power supply	3 AA	color	White
working frequency	134.2KHz	communication mode	USB	Package size	30*16.8*3.8cm
screen	128*64 1.54"OLED	continuous working time	12 hours	Size	25*12.6*3.1cm
system clock	built-in	storage temperature	-30°C-65°C	G.W.	310g
buzzer	built-in	operation temperature	-30°C-50°C	N.W.	160g
data storage	1000	operation humidity	5%~90%	button number	3
Others					
reading standard	ISO11784/5 FDX-B, ID64				
operation language	Chinese Version: simplified Chinese, traditional Chinese, English				
	Central Asia Version: Kazakh, Russian, Mongol, English				
	European Version: French, German, Spanish, Portuguese, Dutch, Danish, English				
International certification	CE,ROHS				
guarantee	one year				
accessories	packing box, USB connecting				
reading distance	Ear tag: 20cm Microchip : 10cm				